

Brucoral[®] and Finéselect[®] Doors

 **theuma**


Theuma[®] doors and Polynorm[®] doorframes

Brucoral® and Finéselect® Doors



Freedom

By using veneered or laminated doors the freedom of choice in the appearance and style of the door is almost endless. Besides the five standard veneers, you can choose from 200 hard plastic laminates in different colours and designs.



Impact and Scratch Resistant

Brucoral® doors with a scratch resistant facing can stand rough handling. It is for good reason that these doors are used in hospitals, schools and offices. Especially for heavy use doors, the hard plastic laminated **Brucoral®** doors are chosen. These doors are available in an extensive number of designs and patterns, from wood style up to fantasy designs, all in the same high quality.

Real wood


The **Finéselect®** doors have high quality veneer facing which can give your home a rural or modern look. These doors can be used in virtually any situation and interior style. The veneer doors are factory finished providing assured high quality incorporating a protective lacquer finish.




Brucoral®



Elevations




Standard vision panels




Description

The **Brucoral**[®] door is a flush internal door provided with hard plastic laminate facing.



Square edged



Rebated

The **Finéselect**[®] door is finished with a veneer facing. Both doors are available in rebated and square edged, with various vision panels (see illustrations) and other styles. The **Brucoral**[®] doors are available in all the colours and patterns in the colour charts of our laminate manufacturers. Sample charts available upon request. For the **Finéselect**[®] doors our standard range of veneers are Mahogany, Oak, Beech, Ash and Limba. Other veneers are available upon request, subject to availability.

Application Range

Light or heavy duty, residential or commercial use. The **Brucoral**[®] and **Finéselect**[®] range comply with required standards and Building Regulations.

Construction

Brucoral[®] and **Finéselect**[®] doors are assembled from a wooden framework and hardboard faces with suitable infill core. The medium density fibreboard faces are covered with a hard plastic laminate or veneer. The material for the core is dependent on the required classification of the door.



Style, Size and Weight

The **Brucoral**[®] and **Finéselect**[®] doors are available in various designs and dimensions with a range of vision panels :

Edges : rebated or square edged

Door thickness : ca. 39 mm or 50 mm (60-minute fire rated doors)


Vision panel : see illustrations, other vision panels upon request.

Standard door width : 730, 830, 880, 930, 980, 1030, 1080, 1130, 1180, 1230 (mm)

Standard door height : 2015, 2115 (mm)

Other dimensions are available, upon request.






Left-handed Right-handed




S.48



S.52



S.78



L.78

Appearance

The **Brucoral**[®] doors are available in different colours and designs. Colour charts available upon request. The **Finéselect**[®] doors are available in different veneers and are factory finished.

Specification

The **Brucoral**[®] and **Finéselect**[®] are also available in the full range of fire rated and acoustic designs.

Ironmongery

The **Brucoral**[®] and **Finéselect**[®] doors are delivered ready-to-install. Doors leave our factory with all hinge provisions and lock pre-fitted which enables you to install them immediately in a matching **Polynorm** frame or in another existing frame, saving you both time and money.

More information on the applied ironmongery is available upon request.

Maintenance

Clean with warm water and a non-abrasive cleaning product. After cleaning wipe off with a dry cloth.

Technical

See technical documentation for frames and doors. You can also download the brochures from www.theuma.nl



www.theuma.nl info@theuma.nl

Theuma DoorSystems BV
Amersfoortseweg 9
NL-3751 LJ Bunschoten
P.O. Box 5
NL-3750 GA Bunschoten
Tel. +31(0)33 29 89 555
Fax +31(0)33 29 89 002

Your sales address: