

Factory Painted Doors Vervolux® and Woodlack®



 **theuma**

Theuma® doors and Polynorm® doorframes

Factory Painted Doors

Vervolux® and Woodlack®




Ultramodern production facilities



off white

white



woodlack beech



Fine finished lift off hinges



Patented top panel fixing method

Fine and Functional

The high quality of Theuma factory painted doors has been firmly established for over the last few decades. Our factory painted doors are available in different designs and finishes to satisfy individual personal tastes. Each door not only has a high-quality of finish but also good scratch and impact resistance.

Theuma supplies factory painted doors to your requirements - fire resistant 20, 30 or 60 minute and acoustic.

Wide Product Range

In the largest door factory in Europe we manufacture for you a very wide and extensive range of quality factory painted doors. Besides the rebated or square edged doors, various vision panels are also available and you can choose from storey height doors, over panel doors, double doors and sliding doors.




Suited to Any Interior

After you have made your choice from one of the many models and designs, you can choose from the variety of finishes. White lacquered in gloss (EBC), matt (UV-Lacquer) or factory painted in a wood design (Woodlack) in Beech.

Doors to suit any interior.

Elevations




single door

double door

storey height door

door with top panel

Standard vision panels




H

P

K

Description

The painted doors from Theuma are high quality factory painted finish flush internal doors.



Application Range

For residential use in new developments and refurbishment. The painted doors comply with required standards and Building Regulations.

Construction

The doors are assembled from a wooden framework with a suitable core (depending on the function) and high density fibreboard faces. They are factory painted with the edges of the door provided with foil matching the surface.



Design and Sizes

The painted doors are available in various designs and dimensions with various vision panels:-

Edges : rebated or square edged

Door thickness : ca. 39 mm or 50 mm (60-minute fire rated doors)

Standard door width : 730, 830, 880, 930 mm

Standard door height: 2015 or 2115 mm

Other dimensions are available, upon request.

Appearance


The factory painted doors are available in:

Matt (UV Lacquer) in the colours white or off white

Gloss (EBC lacquer) in the colour white

Wood designs (Woodlack) Beech.





Silence



Application

The factory painted doors are also available in various fire rated and acoustic designs.

Ironmongery provisions

The factory painted doors are ready-to-install. Doors leave our factory with all hinge provisions and the lock is fitted which enables you to install them immediately in the matching Polynorm steel frame or in another existing frame, saving you both time and money. More information on the applied ironmongery is available upon request.

Maintenance

Clean with warm water and a non-abrasive cleaning product. After cleaning wipe off with a dry cloth.

Technical

See technical documentation for frames and doors. You can also download the brochures from www.theuma.nl



Theuma® doors and Polynorm® doorframes

www.theuma.nl info@theuma.nl

Theuma DoorSystems BV

Amersfoortseweg 9
 NL-3751 LJ Bunschoten
 P.O. Box 5
 NL-3750 GA Bunschoten
 Tel. +31(0)33 29 89 555
 Fax +31(0)33 29 89 002

Your sales address: